

SUPER FREEZER

COMMERCIAL DISPLAY FREEZER – SELF CONTAINED



TABLE OF CONTENTS



ABOUT THIS MODEL	1
SUPER 1.5 Size Specifications	2
SUPER 2.0 Size Specifications	4
SUPER 2.5 Size Specifications	6
SUPER TOPO Size Specifications	8

ABOUT THIS MODEL

- Versions available:
 - (DE) freezer with automatic defrost with water evaporation
 - (DEPN VSC) Energy saving freezer/chiller with automatic defrost and Variable Speed Compressor
- Wide flexible range due to the large variety of dimensions;
- Internal and external nontoxic PVC coated hot galvanized steel according to the food regulations;
- Evaporator, condenser and all tubes in copper;
- Free maintenance condenser;
- High efficiency cooling groups (COP) and low thermic emission;
- High energy efficiency and low operation costs;
- Refrigerant gas R290;
- Automatic defrost by hot gas;
- False adjustable bottom;
- LED lighting;
- Customization.

SUPER 1.5



TECHNICAL SPECIFICATIONS



		SUPER 1.5 DE	SUPER 1.5 DEPN
TECHNICAL DATA			
Total Display Area (TDA)	m ²	0.9	0.9
Climatic Class (EN23953)		3L1	3M1/3L1
Temperature Range	°C	-18/-25	+15/-25
Maintenance Free Condenser		✓	✓
EC Fan Motor		•	•
Visual Alarm		✓	✓
Sound Alarm		•	•
HACCP - Hazard Analysis & Critical Control Points		✓	✓
Surveillance System LON-RS485		•	•
Net Volume	lt	400	400
Gross Volume	lt	590	590
ELECTRICAL DATA			
Voltage/Frequency	V/Hz	220-240/50	220-240/50
Rated Power	W	644	759
Rated Current	A	4.2	5.0
Energy Consumption	kWh/24h	6.0	7,3(-) / 3,3(+)
Energy Efficiency Index (EEI)		35.9	49.6
Efficiency Class	A to G		
REFRIGERANT DATA			
Refrigerant Type		R290	R290
Number of Compressors	Un	2	2
Maximum Operating Pressure	bar	30	30
DIMENSIONS & WEIGHT DATA			
Cabinet Dimensions	mm	1520x920x790	1520x920x790
Packaging Dimensions	mm	1610x1020x850	1610x1020x850
Net Weight	kg	98	98
Gross Weight	kg	141	141
ACCESSORIES INCLUDED			
Basket (Code AR055)	Un	0	0
Basket Divider (Code AR085)	Un	0	0
Max Number Baskets	Un	3	3
High Divider	Un (code)	1 (AR254)	1 (AR254)

SUPER 2.0




TECHNICAL SPECIFICATIONS



		SUPER 2.0 DE	SUPER 2.0 DEPN
TECHNICAL DATA			
Total Display Area (TDA)	m ²	1.29	1.29
Climatic Class (EN23953)		3L1	3M1/3L1
Temperature Range	°C	-18/-25	+15/-25
Maintenance Free Condenser		✓	✓
EC Fan Motor		•	•
Visual Alarm		✓	✓
Sound Alarm		•	•
HACCP - Hazard Analysis & Critical Control Points		✓	✓
Surveillance System LON-RS485		•	•
Net Volume	lt	580	580
Gross Volume	lt	800	800
ELECTRICAL DATA			
Voltage/Frequency	V/Hz	220-240/50	220-240/50
Rated Power	W	662	777
Rated Current	A	4.4	5.1
Energy Consumption	kWh/24h	6.2	7,5(-) / 3,3(+)
Energy Efficiency Index (EEI)		32.6	39.2
Efficiency Class	A to G		
REFRIGERANT DATA			
Refrigerant Type		R290	R290
Number of Compressors	Un	2	2
Maximum Operating Pressure	bar	30	30
DIMENSIONS & WEIGHT DATA			
Cabinet Dimensions	mm	2020x920x790	2020x920x790
Packaging Dimensions	mm	2110x1020x850	2110x1020x850
Net Weight	kg	127	127
Gross Weight	kg	168	168
ACCESSORIES INCLUDED			
Basket (code AR055)	Un	0	0
Basket divider (code AR085)	Un	0	0
Max Number Baskets	Un	5	5
High Divider	Un (code)	2 (AR254)	2 (AR254)

SUPER 2.5



TECHNICAL SPECIFICATIONS



		SUPER 2.5 DE	SUPER 2.5 DEPN
TECHNICAL DATA			
Total Display Area (TDA)	m ²	1.66	1.66
Climatic Class (EN23953)		3L1	3M1/3L1
Temperature Range	°C	-18/-25	+15/-25
Maintenance Free Condenser		✓	✓
EC Fan Motor		•	•
Visual Alarm		✓	✓
Sound Alarm		•	•
HACCP - Hazard Analysis & Critical Control Points		✓	✓
Surveillance System LON-RS485		•	•
Net Volume	lt	750	750
Gross Volume	lt	1030	1030
ELECTRICAL DATA			
Voltage/Frequency	V/Hz	220-240/50	220-240/50
Rated Power	W	681	796
Rated Current	A	4.5	5.2
Energy Consumption	kWh/24h	7.4	8.3(-) / 4.0(+)
Energy Efficiency Index (EEI)		31.9	35.6
Efficiency Class	A to G		
REFRIGERANT DATA			
Refrigerant Type		R290	R290
Number of Compressors	Un	2	2
Maximum Operating Pressure	bar	30	30
DIMENSIONS & WEIGHT DATA			
Cabinet Dimensions	mm	2500x920x790	2500x920x790
Packaging Dimensions	mm	2610x1020x850	2610x1020x850
Net Weight	kg	147	147
Gross Weight	kg	198	198
ACCESSORIES INCLUDED			
Basket (code AR055)	Un	0	0
Basket divider (code AR085)	Un	0	0
Max Number Baskets	Un	7	7
High Divider	Un (code)	2 (AR254)	2 (AR254)

SUPER TOPO

TECHNICAL SPECIFICATIONS



		SUPER TOPO DE	SUPER TOPO DEPN
TECHNICAL DATA			
Total Display Area (TDA)	m ²	1.38	1.38
Climatic Class (EN23953)		3L1	3M1/3L1
Temperature Range	°C	-18/-25	+15/-25
Maintenance Free Condenser		✓	✓
EC Fan Motor		•	•
Visual Alarm		✓	✓
Sound Alarm		•	•
HACCP - Hazard Analysis & Critical Control Points		✓	✓
Surveillance System LON-RS485		•	•
Net Volume	lt	430	430
Gross Volume	lt	540	540
ELECTRICAL DATA			
Voltage/Frequency	V/Hz	220-240/50	220-240/50
Rated Power	W	656	771
Rated Current	A	4.3	5.1
Energy Consumption	kWh/24h	6.3	8.3(-) / 4.1(+)
Energy Efficiency Index (EEI)		31.2	42.7
Efficiency Class	A to G		
REFRIGERANT DATA			
Refrigerant Type		R290	R290
Number of Compressors	Un	2	2
Maximum Operating Pressure	bar	30	30
DIMENSIONS & WEIGHT DATA			
Cabinet Dimensions	mm	1990x920x790	1990x920x790
Packaging Dimensions	mm	2090x1020x850	2090x1020x850
Net Weight	kg	120	120
Gross Weight	kg	160	160
ACCESSORIES INCLUDED			
Basket (code AR055)	Un	Not Available	Not Available
Basket divider (code AR085)	Un	Not Available	Not Available
Max Number Baskets	Un	Not Available	Not Available
High Divider	Un (code)	2 (AR254)	2 (AR254)



CALL US
021 851 0511

EMAIL US
INFO@COOLDISPLAYS.CO.ZA

VISIT US
12 JULIAN WAY
SOMERSET WEST BUSINESS PARK
SOMERSET WEST, CAPE TOWN
SOUTH AFRICA

